

New Jersey Division of HIV/AIDS Services
Persons Living with HIV/AIDS as of June 30, 2004
Cherry Hill Residents

1. Current HIV/AIDS Category	Adult/Adolescent *		Pediatric *		Total	
	Cases	%	Cases	%	Cases	%
-----	-----	---	-----	---	-----	---
AIDS-Any OI	5	8	0	.	5	8
AIDS-CD4 Only	20	31	0	.	20	31
HIV Only	40	62	0	.	40	62
-----	-----	---	-----	---	-----	---
Total	65	100	0	.	65	100

2. Age *			3. Race/Eth.	Adult/Adl*		Pediatric*		Total	
Cases	%			Cases	%	Cases	%	Cases	%
-----	-----	---	-----	-----	---	-----	---	-----	---
<5	0	0	White, Not Hispanic	48	74	0	.	48	74
5-12	0	0	Black, Not Hispanic	13	20	0	.	13	20
13-19	0	0	Hispanic	#	#	0	.	#	#
20-29	5	8	Other/Unknown	#	#	0	.	#	#
30-39	20	31	-----	-----	---	-----	---	-----	---
40-49	27	42	Total	65	100	0	.	65	100
50+	13	20							
Unk.	0	0							
-----	-----	---							
Total	65	100							

4. Patient Group	Adult/Adolescent Transmission Modes **					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Men sex with men (MSM)	28	56	0	0	28	44
Injection drug user (IDU)	#	#	#	#	8	13
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	#	#
Risk not reported/other***	12	24	5	36	17	27
-----	-----	---	-----	---	-----	---
Total	50	100	14	100	64	100

	Pediatric Transmission Modes					
	Males	%	Females	%	Total	%
-----	-----	---	-----	---	-----	---
Parent at risk/has AIDS/HIV	0	0	0	.	0	0
Risk not reported/other***	#	#	0	.	#	#
-----	-----	---	-----	---	-----	---
Total	#	#	0	.	#	#

NOTE: Includes only those persons known to be infected with HIV.

Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

* Classification based on current age at the end of June 2004.

** 1 patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Cherry Hill Residents

1. Disease Category	Adult/Adolescent*		Deaths (%)	Pediatric*		Deaths (%)	Total	
	Cases	(%)		Cases	(%)		Cases	(%)
PCP	19	(25)	18 (95)	0	(0)	0 (.)	19	(25)
Other OI w/o PCP	#	(#)	# (#)	#	(#)	# (#)	#	(#)
KS Alone	#	(#)	# (#)	#	(#)	# (#)	#	(#)
No Disease Listed	31	(41)	11 (39)	0	(0)	0 (.)	31	(41)
Total	75	(100)	50 (70)	#	(#)	# (#)	76	(100)

2. Age *	Cases	%	3. Race/Eth.	Adult/Adl* Cases	%	Pediatric* Cases	%	Total Cases	%
Under 5	0	0	White, Not Hispanic	59	79	0	0	59	78
5-12	#	#	Black, Not Hispanic	12	16	0	0	12	16
13-19	#	#	Hispanic	#	#	#	#	#	#
20-29	9	12	Other/Unknown	#	#	#	#	#	#
30-39	30	39	-----	-----	-----	-----	-----	-----	-----
40-49	20	26	Total	75	100	#	#	76	100
Over 49	14	18							
Unknown	0	0							
Total	76	100							

4. Patient Group	Adult/Adolescent Transmission Modes **				Total	%
	Males	%	Females	%		
Men sex with men (MSM)	40	68	0	0	40	55
Injection drug user (IDU)	#	#	#	#	#	#
MSM/IDU	#	#	0	0	#	#
Heterosexual contact	#	#	#	#	11	15
Risk not reported/other***	7	12	#	#	10	14
Total	59	100	14	100	73	100

	Pediatric Transmission Modes				Total	%
	Males	%	Females	%		
Parent at risk/has AIDS/HIV	0	0	0	.	0	0
Risk not reported/other***	#	#	0	.	#	#
Total	#	#	0	.	#	#

indicates that number is not shown due to small cell size,
in accordance with NJDHSS security and confidentiality policies.

* Classification at time of AIDS diagnosis.

** 2 patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services
AIDS Cases Reported as of June 30, 2004
Cherry Hill Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis -----	Number of Cases -----	Number of Deaths -----	Case-Fatality Rate -----
Before 1985	#	#	#
1985	#	#	#
1986	#	#	#
1987	6	6	100%
1988	#	#	#
1989	8	8	100%
1990	#	#	#
1991	#	#	#
1992	8	8	100%
1993	8	6	75%
1994	#	#	#
1995	5	#	#
1996	#	#	#
1997	#	#	#
1998	#	#	#
1999	#	#	#
2000	#	#	#
2001	#	#	#
2002	#	#	#
2003	#	#	#
2004	#	#	#
-----	-----	-----	-----
Total	76	51	67%